	Application No. Applicant(s)		
Notice of Allowability	10/600,531	NAKAJIMA ET AL.	
	Examiner	Art Unit	
	Leo Boutsikaris	2872	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amendment filed on 8/30/04.</u>			
2. The allowed claim(s) is/are 1.3-6.8 and 9.			
3. $\boxtimes$ The drawings filed on <u>23 June 2003</u> are accepted by the E	xaminer.		•
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> </ul>			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT			Note the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)		ormal Patent Application (PTC	D-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		mmary (PTO-413), Mail Date	)-132)   
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>		Amendment/Comment	·
4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allo	wance · .
of Biological Material	9.	·	

Application/Control Number: 10/600,531

Art Unit: 2872

## **DETAILED ACTION**

## **Priority**

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

## Terminal Disclaimer

The terminal disclaimer filed on 8/30/2004 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of Application 10/600,528 has been reviewed and is accepted. The terminal disclaimer has been recorded.

## Allowable Subject Matter

Claims 1, 3-6, 8-9 are allowed.

Claims 1, 3-6, 8-9 are allowable over the prior art for at least the reason that even though the prior art discloses ND filters comprising plastic substrates with metallic or metal oxide layers deposited thereupon, the prior art fails to teach or reasonably suggest an ND filter comprising a plastic sheet, wherein the plastic sheet has 0.5% or less of turbidity, as set forth by the claimed combination.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Leo Boutsikaris whose telephone number is 571-272-2308.

Application/Control Number: 10/600,531 Page 3

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Leo Boutsikaris, Ph.D. Patent examiner, AU 2872 September 17, 2004